



03 CO

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named

Inventor : Richard A. Meyer

Appln. No.: 09/907,228

Filed : July 17, 2001

For : MULTI-AXIS LOAD CELL BODY

Docket No.: M93.12-0254

Group Art Unit: 2855

Examiner:

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS**Box Missing Parts**

Commissioner for Patents

Washington, D.C. 20231

I HEREBY CERTIFY THAT THIS PAPER IS BEING
SENT BY U.S. MAIL, FIRST CLASS, TO THE
ASSISTANT COMMISSIONER FOR PATENTS,
WASHINGTON, D.C. 20231, THIS

29th DAY OF October, 20 01.
John Veldhuis-Kroeze
PATENT ATTORNEY

Sir:

In response to the Notice to File Corrected Application Papers, Applicant encloses the following documents to complete the above-identified patent application filed July 17, 2001:

1. Notice to File Corrected Application Papers.
2. Letter to Official Draftsperson (Proposed Corrections).
3. Fifteen sheets of drawings.
4. Preliminary Amendment.

The Director is authorized to charge payment of any additional fees associated with this paper or credit any overpayment to Deposit Account No. 23-1123.

Respectfully submitted,

WESTMAN, CHAMPLIN & KELLY, P.A.

By:

John Veldhuis-Kroeze

John Veldhuis-Kroeze, Reg. No. 38,354


Suite 1600 - International Centre

900 Second Avenue South

Minneapolis, Minnesota 55402-3319

Phone: (612) 334-3222 Fax: (612) 334-3312

SMK:jmb



SEP 4 2001

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

| APPLICATION NUMBER | FILING/RECEIPT DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|---------------------|-----------------------|------------------------|
| 09/907,228 | 07/17/2001 | Richard A. Meyer | M93.12-0254 |

CONFIRMATION NO. 6314

FORMALITIES LETTER



OC000000006492509

Steven M. Koehler
WESTMAN CHAMPLIN & KELLY
International Centre - Suite 1600
900 South Second Avenue
Minneapolis, MN 55402-3319

Date Mailed: 08/29/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | |
|---|----------------------|
| First Named Inventor : Richard A. Meyer | |
| Appln. No.: 09/907,228 | |
| Filed : July 17, 2001 | Group Art Unit: 2855 |
| For : MULTI-AXIS LOAD CELL BODY | Examiner: |
| Docket No.: M93.12-0254 | |

**LETTER TO OFFICIAL DRAFTSMAN
(PROPOSED CORRECTIONS)**

Commissioner for Patents
Washington, D.C. 20231

I HEREBY CERTIFY THAT THIS PAPER IS
BEING SENT BY U.S. MAIL, FIRST CLASS,
TO THE ASSISTANT COMMISSIONER FOR
PATENTS, WASHINGTON, D.C. 20231, THIS

29th DAY OF October, 20 01.
John Veldhuis-Kroeze
PATENT ATTORNEY

Sir:

Pursuant to M.P.E.P. 608.02(r), Applicant respectfully requests approval of the substitute drawings to FIGS. 1A-11 for the reasons set forth in the accompanying Amendment.

Respectfully submitted,

WESTMAN, CHAMPLIN & KELLY, P.A.

By: John Veldhuis-Kroeze
John Veldhuis-Kroeze, Reg. No. 38,354
Suite 1600 - International Centre
900 Second Avenue South
Minneapolis, Minnesota 55402-3319
Phone: (612) 334-3222 Fax: (612) 334-3312

SMK:jmb